


1 OF 1

PB

250 472



PB-250 472

RHODHISS LAKE, BURKE AND CALDWELL COUNTIES, NORTH
CAROLINA

Pacific Northwest Environmental Research Laboratory

Prepared for:

National Environmental Research Center

June 1975

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE

PB 250 472

**U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY
WORKING PAPER SERIES**



PACIFIC NORTHWEST ENVIRONMENTAL RESEARCH LABORATORY

An Associate Laboratory of the

NATIONAL ENVIRONMENTAL RESEARCH CENTER - CORVALLIS, OREGON

and

NATIONAL ENVIRONMENTAL RESEARCH CENTER - LAS VEGAS, NEVADA

REPRODUCED BY
**NATIONAL TECHNICAL
INFORMATION SERVICE**
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

TECHNICAL REPORT DATA

(Please read instructions on the reverse before completing)

1. REPORT NO.		2.		3. REPORT NO. ACCESSION NO.	
4. TITLE AND SUBTITLE Report on Rhodhiss Lake, Burke and Caldwell Counties, North Carolina				5. REPORT DATE Prepared June 1975	
7. AUTHOR(S) Anonymous (National Eutrophication Survey Staff)				8. PERFORMING ORGANIZATION REPORT NO. Working Paper # 388	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Pacific Northwest Environmental Research Laboratory U.S. Environmental Protection Agency 200 S. W. 35th St. Corvallis, Oregon 97330				10. PROGRAM ELEMENT NO. 18A029	
11. SPONSORING AGENCY NAME AND ADDRESS Office of Research and Development U.S. Environmental Protection Agency 401 M Street, S. W. Washington, DC 20460				12. CONTRACT/GRANT NO.	
13. SUBJECT TERMS (if any) Prepared in cooperation with the U.S. Environmental Protection Agency, National Environmental Research Center, Las Vegas, Nevada 89114				14. TYPE OF REPORT AND PERIOD COVERED Final -- 1973	
15. DISTRIBUTION STATEMENT (if any) Annual total phosphorus and total nitrogen loadings to the lake were estimated and subdivided according to either point or non-point source origin. An assessment of the lake's trophic condition and limiting nutrient is also provided. All data collected by the U.S.E.P.A. National Eutrophication Survey during the one year study of the lake and its tributaries are included in the report.				16. SPONSORING AGENCY CODE	
17. KEY WORDS AND SUBJECT TERMS					
18. DISTRIBUTION STATEMENT (if any) Release unlimited		19. SECURITY CLASS (if any) UNCLASSIFIED		20. SECURITY CLASS (if any) UNCLASSIFIED	
21. NO. OF PAGES 54		22. PRICE \$4.50		23. PRICE \$4.50	

PRICES SUBJECT TO CHANGE

069041

REPORT
ON
RHODHISS LAKE
BURKE AND CALDWELL COUNTIES
NORTH CAROLINA
EPA REGION IV
WORKING PAPER No. 388

WITH THE COOPERATION OF THE
NORTH CAROLINA DEPARTMENT OF NATURAL AND ECONOMIC RESOURCES
AND THE
NORTH CAROLINA NATIONAL GUARD
JUNE, 1975

i (a)

ict

CONTENTS

	<u>Page</u>
Foreword	ii
List of North Carolina Study Lakes	iv
Lake and Drainage Area Map	v
<u>Sections</u>	
I. Conclusions	1
II. Lake and Drainage Basin Characteristics	5
III. Lake Water Quality Summary	7
IV. Nutrient Loadings	12
V. Literature Reviewed	18
VI. Appendices	19

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to fresh water lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the North Carolina Department of Natural and Economic Resources for professional involvement and to the North Carolina National Guard for conducting the tributary sampling phase of the Survey.

Lewis R. Martin, Director of the Division of Environmental Management; Darwin L. Coburn, Chief of the Water Quality Section; and Julian R. Taylor, Supervisor of the Monitoring Program Unit; provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports and provided critiques most useful in the preparation of this Working Paper series.

Major General William M. Buck, formerly Adjutant General of North Carolina, and Project Officer Colonel Arthur J. Bouchard, who directed the volunteer efforts of the North Carolina National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES

STATE OF NORTH CAROLINALAKE NAMECOUNTY

Badin
 Blewett Falls
 Chatuge
 Fontana
 Hickory

Montgomery, Stanly
 Anson, Richmond
 Clay, NC; Towns, GA
 Graham, Swain
 Alexander, Caldwell,
 Catawba

High Rock
 Hiwassee
 James
 John H. Kerr (Nut Bush Creek)


Davidson, Rowan
 Cherokee
 Burke, McDowell
 Granville, Vance, Warren,
 NC; Halifax, Mecklenburg,
 VA

Junaluska
 Lookout Shoals
 Mountain Island
 Norman

Haywood
 Alexander, Catawba, Iredell
 Gaston, Mecklenburg
 Catawba, Iredell, Lincoln,
 Mecklenburg

Rhodhiss
 Santeetlah
 Tillery
 Waccamaw
 Waterville
 Wylie

Burke, Caldwell
 Graham
 Montgomery, Stanly
 Columbus
 Haywood
 Gaston, Mecklenburg, NC;
 York, SC



RHODHISS LAKE

STORET NO. 3715

I. CONCLUSIONS

A. Trophic Condition:

Survey data show that Rhodhiss Lake is eutrophic. However, because the lake has a mean hydraulic retention time of only 21 days, it more closely resembles a slow-moving stream; and the term "over-enriched" may be a more appropriate description of the lake condition.

Rhodhiss Lake ranked ninth in overall trophic quality when the 16 North Carolina lakes sampled in 1973 were compared using a combination of six parameters*. Twelve of the lakes had less median total phosphorus, 13 had less median dissolved phosphorus, five had less median inorganic nitrogen, but only one of the lakes had less mean chlorophyll a. The relatively low concentrations of chlorophyll a and the high nutrient levels indicate primary productivity probably was light-limited. Ten of the lakes had greater mean Secchi disc transparency, and Survey limnologists noted that the water was turbid each sampling time.

Depression of dissolved oxygen with depth occurred at sampling stations 2 and 3 in July and September. Station 1 was not sampled at depths greater than 1.5 meters.

* See Appendix A.

B. Rate-Limiting Nutrient:

The algal assay results show that Rhodhiss Lake was nitrogen limited at the time the assay sample was collected (03/30/73). The lake data indicate nitrogen limitation in March and September at station 2, and in September at station 3; i.e., the N/P ratios were 11/1 or less at those times. At the other stations and sampling times, the lake data indicate phosphorus limitation (the N/P ratios were greater than 14/1, and phosphorus limitation would be expected).

C. Nutrient Controllability:

1. Point sources--A minimum of 20.3% of the total annual phosphorus load to Rhodhiss Lake was contributed by point sources. Lenoir contributed 8.2% of the total, and Morganton contributed 7.6%.

The phosphorus loads of all of the known municipal point sources were estimated because none of the communities participated in the sampling program, and it is believed that most of these estimates are much too low. Note that the "non-point" export rates of Hunting Creek, Hoyle Creek, and McGalliard Creek were many times higher than the rates of the other Rhodhiss Lake tributaries (see page 16). These very high export rates and the very low export N/P ratios (3/1 or less) are indicative of a marked underestimation of point-source phosphorus loads.

If the mean of the phosphorus export rates of unimpacted Bristol, Freemason, Smoky, and Stafford creeks and the Johns River ($24 \text{ kg/km}^2/\text{yr}$) is assumed to be a typical non-point export rate for streams in the Rhodhiss Lake drainage, and the point-source phosphorus contributions to Howard, Hoyle, Hunting, and McGalliard creeks are calculated accordingly, the point-source phosphorus input to the lake would be 59% of the total load rather than a little over 20%. Further study is needed to determine the actual point-source impact on Rhodhiss Lake.

During the sampling year, Rhodhiss Lake received a total phosphorus load at a rate seven times that proposed by Vollenweider (Vollenweider and Dillon, 1974) as a eutrophic rate (see page 17). However, the mean hydraulic retention time of the lake is only 21 days, and Vollenweider's model may not be applicable. Nonetheless, it is likely that a high degree of point-source phosphorus control would result in persistent phosphorus limitation throughout Rhodhiss Lake (see page 11) and would reduce the present rate of eutrophication. Such control probably would also benefit downstream Lake Hickory (Working Paper No. 380).

2. Non-point sources--It is calculated that 31.5% of the non-point source phosphorus load was contributed to Rhodhiss Lake by the Catawba River, whereas the Johns River with a drainage

area about one-third of that of the Catawba River, contributed only one-ninth as much phosphorus.

As mentioned above, the phosphorus export rates of Hunting Creek, Hoyle Creek, and McGilliard Creek were much too high and probably were due to point sources.

II. LAKE AND DRAINAGE BASIN CHARACTERISTICS[†]A. Lake Morphometry^{††}:

1. Surface area: 14.22 kilometers².
2. Mean depth: 6.3 meters.
3. Maximum depth: >14.6 meters.
4. Volume: 89.6 x 10⁶ m³.
5. Mean hydraulic retention time: 21 days.

B. Tributary and Outlet:
(See Appendix C for flow data)

1. Tributaries -

<u>Name</u>	<u>Drainage area (km²)*</u>	<u>Mean flow (m³/sec)*</u>
Catawba River	1,753.4	33.7
Hunting Creek	66.3	1.8
Hoyle Creek	15.8	0.2
McGalliard Creek	19.2	0.3
Howard Creek	13.7	0.2
Freemason Creek	18.9	0.3
Stafford Creek	16.1	0.3
Smoky Creek	21.2	0.4
Bristol Creek	23.8	0.5
Johns River	541.3	5.8
E. Fork, McGalliard Creek	2.3	<0.1
Lower Creek	224.3	2.7
Minor tributaries & immediate drainage -	<u>92.5</u>	<u>2.2</u>
Totals	2,808.8	48.4

2. Outlet -

Catawba River	2,823.1**	48.4**
---------------	-----------	--------

[†] Table of metric conversions--Appendix B.^{††} Park, 1974.

* For limits of accuracy, see Working Paper No. 175, "...Survey Methods, 1973-1976".

** Includes area of lake; outflow adjusted to equal sum of inflows.

C. Precipitation*:

1. Year of sampling: 155.7 centimeters.
2. Mean annual: 129.0 centimeters.

* See Working Paper No. 175.

III. LAKE WATER QUALITY SUMMARY

Rhodhiss Lake was sampled three times during the open-water season of 1973 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from three stations on the lake and from one or more depths at each station (see map, page v). During each visit, a single depth-integrated (4.6 m or near bottom to surface) sample was composited from the stations for phytoplankton identification and enumeration; and during the first visit, a single 18.9-liter depth-integrated sample was composited for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll a analysis. The maximum depths sampled were 1.5 meters at station 1, 10.7 meters at station 2, and 14.6 meters at station 3.

The lake sampling results are presented in full in Appendix D and are summarized in the following table.

A. SUMMARY OF PHYSICAL AND CHEMICAL CHARACTERISTICS FOR MHOODISS LAKE
STONEY CODE 3715

PARAMETER	1ST SAMPLING (3/30/73)			2ND SAMPLING (7/ 6/73)			3RD SAMPLING (9/20/73)		
	3 SITES			3 SITES			3 SITES		
	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN
TEMP (C)	10.0 - 11.9	11.1	11.3	10.9 - 27.6	22.9	21.6	21.6 - 25.3	23.1	22.5
DISS OXY (MG/L)	9.0 - 10.0	9.6	9.5	1.4 - 11.4	7.0	7.4	3.0 - 9.4	5.5	5.2
CHLOROPHYLL (MICROMO)	50. - 60.	53.	50.	50. - 65.	57.	55.	55. - 64.	60.	59.
PH (STAND UNITS)	7.6 - 7.7	7.6	7.6	6.5 - 9.3	7.4	6.8	6.4 - 6.6	7.1	6.7
TOT ALK (MG/L)	10. - 10.	10.	10.	16. - 24.	18.	18.	12. - 16.	15.	15.
TOT P (MG/L)	0.060 - 0.105	0.080	0.075	0.030 - 0.116	0.050	0.051	0.031 - 0.080	0.054	0.055
ORTHO P (MG/L)	0.016 - 0.040	0.025	0.022	0.007 - 0.028	0.012	0.010	0.012 - 0.033	0.022	0.023
NO2+NO3 (MG/L)	0.210 - 0.280	0.241	0.240	0.090 - 0.250	0.174	0.185	0.020 - 0.120	0.077	0.100
AMMONIA (MG/L)	0.040 - 0.110	0.082	0.090	0.060 - 0.440	0.145	0.105	0.050 - 0.230	0.115	0.120
KJEL N (MG/L)	0.200 - 0.400	0.264	0.200	0.200 - 0.900	0.470	0.400	0.300 - 0.700	0.436	0.400
INDIC N (MG/L)	0.250 - 0.390	0.323	0.320	0.170 - 0.570	0.319	0.315	0.070 - 0.340	0.193	0.230
TOTAL N (MG/L)	0.410 - 0.680	0.505	0.440	0.430 - 1.000	0.644	0.575	0.400 - 0.820	0.514	0.510
CHLOROPHYLL A (UG/L)	1.5 - 6.7	3.3	1.7	1.4 - 3.4	2.3	2.1	1.8 - 6.9	5.1	6.7
SECCHI (METERS)	0.6 - 0.9	0.7	0.8	0.6 - 0.9	0.8	0.9	0.7 - 1.9	1.3	1.4

B. Biological characteristics:

1. Phytoplankton -

<u>Sampling Date</u>	<u>Dominant Genera</u>	<u>Algal units per ml</u>
03/30/73	1. Melosira	500
	2. Flagellates	130
	3. Cryptomonas	60
	4. Asterionella	50
	5. Stephanodiscus	30
	Other genera	<u>101</u>
	Total	871
07/06/73	1. Oscillatoria	85
	2. Flagellates	68
	3. Centric diatoms	34
	4. Nitzschia	34
	5. Aphanizomenon	25
	Other genera	<u>625</u>
	Total	871
09/24/73	1. Lyngbya	1,120
	2. Oscillatoria	320
	3. Merismopedia	124
	4. Flagellates	110
	5. Synedra	104
	Other genera	<u>772</u>
	Total	2,550

2. Chlorophyll a -

<u>Sampling Date</u>	<u>Station Number</u>	<u>Chlorophyll a (µg/l)</u>
03/30/73	01	1.5
	02	1.7
	03	6.7
07/06/73	01	1.4
	02	3.4
	03	2.1
09/24/73	01	1.8
	02	6.9
	03	6.7

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

<u>Spike (mg/l)</u>	<u>Ortho P Conc. (mg/l)</u>	<u>Inorganic N Conc. (mg/l)</u>	<u>Maximum yield (mg/l-dry wt.)</u>
Control	0.027	0.262	6.7
0.010 P	0.037	0.262	6.2
0.020 P	0.047	0.262	6.9
0.050 P	0.077	0.262	6.6
0.050 P + 1.0 N	0.077	1.262	26.3
1.0 N	0.027	1.262	10.2

2. Discussion -

The control yield of the assay alga, Selenastrum capricornutum, indicates that the potential primary productivity of Rhodhiss Lake was high at the time the assay sample was collected (03/30/73). Also, the lack of increase in yield with increasing concentrations of orthophosphorus along with a significant increase in yield with the addition of only

nitrogen indicate that the lake was nitrogen limited at that time.

The lake data indicate a combination of limiting nutrients. Station 2, which was close to point-source nutrient inputs, was nitrogen limited in March and September, but all three stations were phosphorus limited in July.

Following is a tabulation of the mean inorganic nitrogen to orthophosphorus ratios for each of the stations and sampling times with the indicated limiting nutrient in parenthesis.

<u>Station</u>	<u>03/30/73</u>	<u>07/06/73</u>	<u>09/24/73</u>
01	15/1 (P)	16/1 (P)	20/1 (P)
02	11/1 (N)	34/1 (P)	7/1 (N)
03	15/1 (P)	31/1 (P)	10/1 (N)

Nitrogen limitation, as indicated by the algal assay or by the in-lake nitrogen to phosphorus ratios, does not necessarily suggest that the trophic condition of the lake can be improved by controlling nitrogen inputs. In the majority of cases, phosphorus is still the element to be controlled. The apparent condition of nitrogen-limitation frequently results from excessive phosphorus input from point sources (e.g., station 2) and is often accompanied by a corresponding increase in primary production. The reversal of the enriched condition, therefore, depends upon phosphorus control, not nitrogen control.

IV. NUTRIENT LOADINGS (See Appendix E for data)

For the determination of nutrient loadings, the North Carolina National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page v), except for the high runoff months of January and February when two samples were collected. Sampling was begun in March, 1973, and was completed in February, 1974.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the North Carolina District Office of the U.S. Geological Survey for the tributary sites nearest the lake.

In this report, nutrient loads for sampled tributaries were determined by using a modification of a U.S. Geological Survey computer program for calculating stream loadings*. Nutrient loads shown are those measured minus point-source loads, if any.

Nutrient loads for unsampled "minor tributaries and immediate drainage" ("ZZ" of U.S.G.S.) were estimated using the means of the nutrient loads, in kg/km²/year, at stations F-1, G-1, H-1, and J-1 and multiplying the means by the ZZ area in km².

The communities of Drexel, Lenoir, Valdese, Marion, and Morganton did not participate in the sampling program, and nutrient loads were estimated at 1.134 kg P and 3.401 kg N/capita/year.

* See Working Paper No. 175.

A. Waste Sources:

1. Known municipal* -

<u>Name</u>	<u>Pop. Served</u>	<u>Treatment</u>	<u>Mean Flow (m³/d)**</u>	<u>Receiving Water</u>
Drexel	1,431	Imhoff tank	541.6	Howard Creek
Lenoir	14,705	trickling filter	5,565.8	Lower Creek
Valdese #1	1,060	prim. clarifier	401.2	Hoyle Creek
Valdese #2	2,122	ext. aer.	803.2	McGalliard Creek
Morganton	13,625	trickling filter	5,157.1	Hunting Creek
Marion	3,355	act. sludge	1,262.3	N. Muddy Creek

2. Known industrial - None

* Anonymous, 1971.

** Flow estimated at 0.3785 m³/capita/day.

B. Annual Total Phosphorus Loading - Average Year:

1. Inputs -

<u>Source</u>	<u>kg P/ yr</u>	<u>% of total</u>
a. Tributaries (non-point load) -		
Catawba River	63,765	31.5
Hunting Creek	63,480	31.4
Hoyle Creek	3,830	1.9
McGalliard Creek	11,495	5.7
Howard Creek	870	0.4
Freemason Creek	615	0.3
Stafford Creek	485	0.2
Smoky Creek	315	0.2
Bristol Creek	680	0.4
Johns River	7,155	3.5
E. Fork, McGalliard Creek	150	<0.1
Lower Creek	5,755	2.9
b. Minor tributaries & immediate drainage (non-point load) -		
	2,450	1.2
c. Known municipal STP's -		
Drexel	1,625	0.8
Morganton	15,450	7.6
Valdese #1	1,205	0.6
Valdese #2	2,405	1.2
Lenoir	16,675	8.2
Marion	3,780	1.9
d. Septic tanks - Unknown	-	-
e. Known industrial - None	-	-
f. Direct precipitation* -	250	0.1
Total	202,435	100.0

2. Outputs -

Lake outlet - Catawba River 106,660

3. Net annual P accumulation - 95,775 kg.

* See Working Paper No. 175.

C. Annual Total Nitrogen Loading - Average Year:

1. Inputs -

<u>Source</u>	<u>kg N/ yr</u>	<u>% of total</u>
a. Tributaries (non-point load) -		
Catawba River	723,930	51.6
Hunting Creek	168,420	12.0
Hoyle Creek	6,540	0.5
McGalliard Creek	14,635	1.1
Howard Creek	5,025	0.6
Freemason	14,720	1.1
Stafford Creek	11,675	0.8
Smoky Creek	9,450	0.7
Bristol Creek	13,585	1.0
Johns River	125,045	8.9
E. Fork, McGalliard Creek	1,345	0.1
Lower Creek	106,645	7.6
b. Minor tributaries & immediate drainage (non-point load) -	58,295	4.1
c. Known municipal STP's -		
Drexel	4,865	0.3
Morganton	46,340	3.3
Valdese #1	3,605	0.3
Valdese #2	7,215	0.5
Lenoir	50,010	3.6
Marion	11,340	0.8
d. Septic tanks - Unknown	-	-
e. Known industrial - None	-	-
f. Direct precipitation* -	15,350	1.1
Total	1,402,035	100.0

2. Outputs -

Lake outlet - Catawba River 1,268,715

3. Net annual N accumulation - 133,320 kg.

* See Working Paper No. 175.

D. Mean Annual Non-point Nutrient Export by Subdrainage Area:

<u>Tributary</u>	<u>kg P/km²/yr</u>	<u>kg N/km²/yr</u>	<u>N/P Ratio</u>
Catawba River	36	413	11/1
Hunting Creek	957	2,540	3/1
Hoyle Creek	242	414	2/1
McGalliard Creek	599	762	<2/1
Howard Creek	64	659	10/1
Freemason Creek	33	779	24/1
Stafford Creek	30	725	24/1
Smoky Creek	15	446	30/1
Bristol Creek	29	571	20/1
Johns River	13	231	18/1
E. Fork, McGalliard Creek	65	585	9/1
Lower Creek	26	475	18/1

E. Yearly Loading Rates:

In the following table, the existing phosphorus loading rates are compared to those proposed by Vollenweider (Vollenweider and Dillon, 1974). Essentially, his "dangerous" rate is the rate at which the receiving water would become eutrophic or remain eutrophic; his "permissible" rate is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic rate would be considered one between "dangerous" and "permissible".

Note that Vollenweider's model may not be applicable to water bodies with short hydraulic retention times.

	Total Phosphorus		Total Nitrogen	
	Total	Accumulated	Total	Accumulated
grams/m ² /yr	14.24	6.74	98.6	9.4

Vollenweider loading rates for phosphorus
(g/m²/yr) based on mean depth and mean
hydraulic retention time of Rhodhiss Lake:

"Dangerous" (eutrophic rate)	2.00
"Permissible" (oligotrophic rate)	1.00

V. LITERATURE REVIEWED

- Anonymous, 1971. Inventory of municipal waste facilities. EPA Publ. No. OWP-1, Vol. 4, Washington, D.C.
- Park, David, 1974. Personal communication (lake morphometry). NC Dept. of Nat. & Econ. Resources, Raleigh.
- Vollenweider, R. A., and P. J. Dillon, 1974. The application of the phosphorus loading concept to eutrophication research. Natl. Res. Council of Canada Publ. No. 13690, Canada Centre for Inland Waters, Burlington, Ontario.
- Weiss, Charles M., 1972. A proposal to the Water Research Institute of the University of North Carolina. The trophic state of North Carolina lakes, covering period July 1, 1972 to June 30, 1973. U. of North Carolina, Chapel Hill.

VI. APPENDICES

APPENDIX A

LAKE RANKINGS

LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
1	3719	LAKE WACCAMAW	534
2	3716	SANTEELAH LAKE	446
3	3711	MOUNTAIN ISLAND LAKE	419
4	3707	HIWASSEE LAKE	414
5	3704	FONTANA LAKE	392
6	3713	LAKE NORMAN	346
7	3708	LAKE JAMES	334
8	3710	LOOKOUT SHOALS	327
9	3715	RHODHISS LAKE	296
10	3705	LAKE HICKORY	283
11	3717	LAKE TILLERY	246
12	3709	LAKE JUNALUSKA	220
13	3702	BLEWETT FALLS LAKE	200
14	3718	WATERVILLE RESERVOIR	140
15	3701	BADIN LAKE	124
16	3706	HIGH ROCK LAKE	76

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P	INDEX NO
3701	BADIN LAKE	33 (5)	7 (1)	27 (4)	27 (4)	3 (0)	27 (4)	124
3702	BLEWETT FALLS LAKE	7 (1)	13 (2)	7 (1)	73 (11)	93 (14)	7 (1)	200
3704	FONTANA LAKE	100 (15)	33 (5)	93 (14)	100 (15)	3 (0)	63 (9)	392
3705	LAKE HICKORY	27 (4)	60 (9)	53 (8)	13 (2)	80 (12)	50 (7)	283
3706	HIGH ROCK LAKE	13 (2)	20 (3)	0 (0)	0 (0)	23 (2)	20 (3)	76
3707	HIWASSEE LAKE	87 (13)	80 (12)	87 (13)	47 (7)	50 (7)	63 (9)	414
3708	LAKE JAMES	60 (9)	87 (13)	80 (12)	7 (2)	23 (2)	77 (11)	334
3709	LAKE JUNALUSKA	47 (7)	27 (4)	43 (6)	20 (3)	50 (7)	33 (5)	220
3710	LOOKOUT SHOALS	53 (8)	47 (7)	60 (9)	67 (10)	60 (9)	40 (6)	327
3711	MOUNTAIN ISLAND LAKE	73 (11)	73 (11)	43 (6)	53 (8)	87 (13)	90 (13)	419
3713	LAKE NORMAN	67 (10)	53 (8)	73 (11)	40 (6)	23 (2)	90 (13)	346
3715	RHODHISS LAKE	20 (3)	67 (10)	33 (5)	93 (14)	70 (10)	13 (2)	296
3716	SANTEELAH LAKE	93 (14)	93 (14)	100 (15)	60 (9)	23 (2)	77 (11)	446
3717	LAKE TILLERY	40 (6)	40 (6)	13 (2)	33 (5)	70 (10)	50 (7)	246
3718	WATERVILLE RESERVOIR	0 (0)	0 (0)	20 (3)	80 (12)	40 (6)	0 (0)	140
3719	LAKE WACCAHAW	80 (12)	100 (15)	67 (10)	87 (13)	100 (15)	100 (15)	534

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P
3701	BADIN LAKE	0.042	0.680	466.750	7.190	14.900	0.012
3702	BLEWETT FALLS LAKE	0.090	0.655	476.889	4.167	10.800	0.034
3704	FONTANA LAKE	0.011	0.550	392.650	3.438	14.900	0.007
3705	LAKE HICKORY	0.047	0.320	461.000	7.275	13.400	0.008
3706	HIGH ROCK LAKE	0.090	0.580	477.454	14.283	14.800	0.017
3707	MIWASSEE LAKE	0.015	0.240	420.555	5.678	14.200	0.007
3708	LAKE JAMES	0.020	0.160	428.866	7.660	14.800	0.006
3709	LAKE JUNALUSKA	0.031	0.560	462.000	7.233	14.200	0.009
3710	LOOKOUT SHOALS	0.026	0.370	459.167	4.200	13.800	0.008
3711	MOUNTAIN ISLAND LAKE	0.018	0.270	462.000	5.580	12.800	0.005
3713	LAKE NORMAN	0.019	0.330	446.667	5.807	14.800	0.005
3715	RHODISS LAKE	0.061	0.305	462.111	3.578	13.600	0.019
3716	SANTEELAH LAKE	0.011	0.160	366.400	5.360	14.800	0.006
3717	LAKE TILLERY	0.040	0.470	468.600	6.827	13.600	0.008
3718	WATERVILLE RESERVOIR	0.103	0.860	468.333	3.817	14.400	0.041
3719	LAKE WACCAMAW	0.018	0.120	455.667	3.583	9.800	0.004

APPENDIX B

CONVERSIONS FACTORS

CONVERSION FACTORS

Hectares $\times$ 2.471 = acres

Kilometers $\times$ 0.6214 = miles

Meters $\times$ 3.281 = feet

Cubic meters $\times$ 8.107×10^{-4} = acre/feet

Square kilometers $\times$ 0.3861 = square miles

Cubic meters/sec $\times$ 35.315 = cubic feet/sec

Centimeters $\times$ 0.3937 = inches

Kilograms $\times$ 2.205 = pounds

Kilograms/square kilometer $\times$ 5.711 = lbs/square mile

APPENDIX C

TRIBUTARY FLOW DATA

10/21/75

TRIBUTARY FLOW INFORMATION FOR NORTH CAROLINA

LAKE CODE 3715 KNOXMISS RESERVOIR

TOTAL DRAINAGE AREA OF LAKE (SQ MI) 1090.00

TRIBUTARY	SUB-DRAINAGE AREA (SQ MI)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
3715A1	677.00	1130.00	1450.00	1350.00	1230.00	1050.00	1170.00	1050.00	1060.00	1170.00	1110.00	1200.00	1320.00	1191.10
3715A2	1090.00	1910.00	1900.00	2120.00	1670.00	1660.00	1630.00	1430.00	1610.00	1500.00	1810.00	1780.00	1990.00	1750.77
3715B1	25.00	72.00	80.00	84.00	81.00	61.00	50.00	48.00	58.00	58.00	56.00	55.00	61.00	63.66
3715C1	5.30	8.10	11.00	12.00	11.00	8.00	6.00	6.00	6.00	6.20	6.20	5.90	7.40	7.92
3715D1	7.40	12.00	16.00	18.00	16.00	12.00	10.00	9.00	9.00	9.10	9.10	8.70	11.00	11.70
3715E1	6.10	9.30	12.00	13.00	12.00	8.50	7.70	6.00	7.40	6.90	6.90	6.60	8.30	8.60
3715F1	7.30	11.00	15.00	16.00	15.00	11.00	9.70	8.10	8.00	8.20	8.20	7.90	10.60	10.66
3715G1	6.20	10.00	14.00	15.00	14.00	9.90	8.60	7.50	8.20	7.60	7.60	7.30	9.20	9.66
3715H1	8.20	18.00	20.00	23.00	21.00	15.00	12.00	11.00	14.00	13.00	13.00	13.00	15.00	15.64
3715I1	9.20	22.00	25.00	28.00	25.00	18.00	15.00	14.00	17.00	16.00	16.00	16.00	18.00	19.05
3715J1	209.00	240.00	264.00	308.00	276.00	194.00	150.00	144.00	183.00	166.00	172.00	166.00	193.00	205.68
3715K1	0.90	1.50	2.00	2.10	2.00	1.40	1.30	1.10	1.20	1.10	1.10	1.10	1.30	1.43
3715L1	86.00	126.00	144.00	135.00	89.00	76.00	76.00	71.00	88.00	65.00	62.00	66.00	79.00	94.17
3715M1	41.20	84.00	105.00	116.00	107.00	74.00	65.00	59.00	66.00	62.00	63.00	61.00	63.00	77.23

SUMMARY

TOTAL DRAINAGE AREA OF LAKE = 1090.00
SUM OF SUB-DRAINAGE AREAS = 1090.00

TOTAL FLOW IN = 28625.12
TOTAL FLOW OUT = 21010.00

MEAN MONTHLY FLOWS AND DAILY FLOWS (CFS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
3715A1	3	73	3238.00	24	3270.00				
	4	73	2608.00	26	3198.00				
	5	73	2858.00	26	2088.00				
	6	73	1958.00	24	1938.00				
	7	73	1628.00	22	1540.00				
	8	73	1458.00	30	2280.00				
	9	73	1608.00	28	1228.00				
	10	73	1250.00	25	418.00				
	11	73	960.00	29	1280.00				
	12	73	1340.00	27	2930.00				
	1	74	2208.00	12	3090.00	24	3260.00		
	2	74	1978.00	16	2290.00	28	2440.00		
	3	73	4878.00	24	4208.00				
	4	73	3978.00	26	4108.00				
	5	73	4298.00	24	3188.00				
	6	73	3088.00	24	2868.00				
	7	73	2288.00	22	280.00				
	8	73	2788.00	30	2080.00				
	9	73	2088.00	28	1990.00				
	10	73	1838.00	25	540.00				
	11	73	1548.00	29	2470.00				
	12	73	2948.00	27	4010.00				
	1	74	3548.00	12	4120.00	24	2320.00		
	2	74	3078.00	16	4090.00	28	2970.00		

10/21/75

TRIBUTARY FLOW INFORMATION FOR NORTH CAROLINA

LAKE COLE DTS SMOONISS RESERVOIR

MEAN MONTHLY FLOWS AND DAILY FLOWS (CFS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
3715H	3	73	120.00	28	70.00				
	4	73	80.00	26	68.00				
	5	73	90.00	24	49.00				
	6	73	60.00	28	47.00				
	7	73	31.00	22	27.00				
	8	73	38.00	30	23.00				
	9	73	24.00	28	18.00				
	10	73	36.00	25	26.00				
	11	73	34.00	29	100.00				
	12	73	78.00	27	250.00				
	1	74	90.00	12	70.00	24	55.00		
	2	74	70.00	16	46.00	28	47.00		
3715C	3	73	25.00	4	13.00				
	4	73	21.00	26	18.00				
	5	73	21.00	24	14.00				
	6	73	14.00	28	13.00				
	7	73	8.50	22	8.10				
	8	73	7.00	30	6.70				
	9	73	6.50	28	5.60				
	10	73	6.40	25	4.80				
	11	73	5.60	29	10.00				
	12	73	16.00	27	50.00				
	1	74	15.00	12	11.00	24	13.00		
	2	74	14.00	16	12.00	28	12.00		
3715D	3	73	35.00	4	19.00				
	4	73	29.00	26	25.00				
	5	73	29.00	24	19.00				
	6	73	21.00	28	18.00				
	7	73	12.00	22	11.00				
	8	73	9.50	30	9.40				
	9	73	9.00	28	7.80				
	10	73	9.00	25	6.70				
	11	73	7.80	29	14.00				
	12	73	22.00	27	70.00				
	1	74	21.00	12	15.00	24	18.00		
	2	74	19.00	16	16.00	28	16.00		
3715E	3	73	28.00	24	17.00				
	4	73	24.00	24	21.00				
	5	73	24.00	28	16.00				
	6	73	16.00	28	15.00				
	7	73	10.00	22	9.30				
	8	73	8.00	30	7.80				
	9	73	7.50	28	6.40				
	10	73	7.40	25	5.50				
	11	73	6.50	29	11.00				
	12	73	18.00	27	60.00				
	1	74	17.00	12	12.00	24	15.00		
	2	74	16.00	16	14.00	28	13.00		

10/21/75

TRIBUTARY FLOW INFORMATION FOR NORTH CAROLINA

LAKE CODE 3715 WOODS RESERVOIR

MEAN MONTHLY FLOWS AND DAILY FLOWS (CFS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
3715F1	3	73	35.00	24	20.00				
	4	73	28.00	24	16.00				
	5	73	29.00	24	19.00				
	6	73	20.00	28	18.00				
	7	73	12.00	22	11.00				
	8	73	9.60	30	9.30				
	9	73	9.00	28	7.70				
	10	73	8.80	25	6.60				
	11	73	7.70	29	14.00				
	12	73	22.00	27	70.00				
	1	74	20.00	12	15.00	24	12.00		
	2	74	19.00	16	16.00	28	16.00		
3715G1	3	73	30.00	24	17.00				
	4	73	24.00	26	21.00				
	5	73	24.00	24	16.00				
	6	73	17.00	28	15.00				
	7	73	10.00	22	9.40				
	8	73	8.20	30	7.90				
	9	73	7.60	28	6.50				
	10	73	7.50	25	5.60				
	11	73	6.60	29	12.00				
	12	73	19.00	27	60.00				
	1	74	17.00	12	12.00	24	15.00		
3715H1	2	74	16.00	16	14.00	28	14.00		
	3	73	48.00	24	22.00				
	4	73	32.00	24	26.00				
	5	73	42.00	24	21.00				
	6	73	17.00	28	20.00				
	7	73	11.00	22	12.00				
	8	73	13.00	30	10.00				
	9	73	8.30	28	8.60				
	10	73	13.00	25	7.40				
	11	73	12.00	29	15.00				
	12	73	36.00	27	65.00				
3715J1	1	74	37.00	12	28.00	24	19.00		
	2	74	27.00	16	17.00	28	20.00		
	3	73	45.00	24	30.00				
	4	73	39.00	26	31.00				
	5	73	48.00	24	21.00				
	6	73	20.00	28	11.00				
	7	73	13.00	22	8.10				
	8	73	16.00	30	8.30				
	9	73	9.30	28	8.30				
	10	73	15.00	25	10.00				
	11	73	14.00	29	47.00				
	12	73	35.00	27	75.00				
3715K1	1	74	43.00	12	32.00	24	24.00		
	2	74	31.00	16	20.00	28	23.00		

10/21/75

THREATS FLOW INFORMATION FOR NORTH CAROLINA

LAKE COLE 3715

MEAN MONTHLY FLOWS AND DAILY FLOWS (CFS)

THREATS	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW
3715A1	3	73	850.00	24	620.00		
	4	73	700.00	26	630.00		
	5	73	810.00	24	430.00		
	6	73	425.00	28	420.00		
	7	73	300.00	22	160.00		
	8	73	600.00	30	165.00		
	9	73	250.00	28	165.00		
	10	73	290.00	25	200.00		
	11	73	275.00	29	1000.00		
	12	73	815.00	27	1870.00		
	1	74	800.00	12	670.00	24	500.00
	2	74	635.00	16	410.00	28	480.00
3715A1	3	73	430.00	24	250		
	4	73	350.00	26	310		
	5	73	350.00	24	230		
	6	73	210.00	28	220		
	7	73	150.00	22	140		
	8	73	120.00	30	110		
	9	73	110.00	28	090		
	10	73	100.00	25	080		
	11	73	690.00	29	170		
	12	73	280.00	27	860		
	1	74	250.00	12	180	24	220
	2	74	240.00	16	200	28	200
3715A1	3	73	280.00	24	190.00		
	4	73	210.00	26	380.00		
	5	73	225.00	24	160.00		
	6	73	200.00	28	170.00		
	7	73	98.00	22	100.00		
	8	73	250.00	30	90.00		
	9	73	82.00	28	65.00		
	10	73	75.00				
	11	73	68.00	29	145.00		
	12	73	280.00	27	900.00		
	1	74	220.00	12	150.00	24	170.00
	2	74	195.00	16	140.00	28	160.00
3715A1	3	73	200.00				
	4	73	150.00				
	5	73	165.00				
	6	73	120.00				
	7	73	70.00				
	8	73	150.00				
	9	73	50.00				
	10	73	60.00				
	11	73	55.00				
	12	73	140.00				
	1	74	115.00				
	2	74	110.00				

APPENDIX D

PHYSICAL and CHEMICAL DATA

STORET RETRIEVAL DATE 75/10/20

371501
35 46 32.0 081 37 30.0
MOOREHEAD LAKE
37023 NORTH CAROLINA

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCM INCHES	00094 CONDUCTIV FIELD MICROMHO	00400 PH SU	00410 T ALK CAC03 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2+NO3 N-TOTAL MG/L	00671 PHOS-DIS OMTMO MG/L P
73/03/30	10 00	0000	10.2		30	50K	7.70		0.100	0.300	0.280	0.022
	10 00	0005	10.2	10.0		50K	7.70		0.090	0.280	0.220	0.025
73/07/06	14 25	0000	21.6	7.4	24	55	6.80		0.110	0.600	0.250	0.028
	14 25	0005	21.4	7.4		50	6.80		0.090	0.400	0.210	0.013
73/09/24	09 45	0000	22.4	6.6	28	55	6.70		0.120	0.700	0.120	0.024

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLORPHYL A UG/L
73/03/30	10 00	0000	0.064	1.5
	10 00	0005	0.069	
73/07/06	14 25	0000	0.059	1.4
	14 25	0005	0.056	
73/09/24	09 45	0000	0.055	1.0

K VALUE KNOWN TO BE
LESS THAN INDICATED

371502
375 46 40.0 641 31 50.0
COMMUNIST CASE
47023 40014 CAMPOLINA

[illegible]

K VALUE KNOWN TO BE
LESS THAN INDICATED

371503
15 40 : 3.0 0M1 20 02.0
mm/0M155 LARE
37023 LOWIE CAROLINA

111202
2021112

DATE FWD TO	TIME OF DAY	DEPTH FEET	WAVE LENGTH CM	WAVE PERIOD SEC	WAVE PERIOD MIN	WAVE PERIOD HRS	WAVE PERIOD DAYS	WAVE PERIOD WEEKS	WAVE PERIOD MONTHS	WAVE PERIOD YEARS	WAVE PERIOD CENTURIES	WAVE PERIOD MILLIONS OF YEARS
7/10/70	11 00	0000	11.7	36	50K	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 00	0007	11.7	36	55	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 00	0015	11.7	36	55	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 00	0030	11.7	36	60	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 00	0045	11.7	36	60	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 05	0000	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 05	0005	11.7	36	60	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 05	0030	11.7	36	60	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 05	0045	11.7	36	60	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0000	11.7	36	65	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0005	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0010	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0015	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0020	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0025	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0030	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0035	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0040	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050
7/10/70	11 10	0045	11.7	36	61	7.70	10K	0.050	0.050	0.050	0.050	0.050

22

DATE FROM	TIME OF DAY	REPORT NO./1	6065	32217	CHLORPHE A	32217
--------------	-------------------	-----------------	------	-------	---------------	-------

$T, \mu\text{eV}$	$\epsilon, \mu\text{eV}$	$\epsilon, \mu\text{eV}$
11 00 0030	0.0075	
11 00 0027	0.0070	
11 00 0015	0.0061	
11 00 0030	0.0061	
11 00 0045	0.0047	
16 05 0000	0.0051	
16 05 0030	0.0044	
16 05 0044	0.0037	
16 05 0000	0.0031	
16 30 0035	0.0034	
10 30 0010	0.0034	
10 10 0020	0.0031	
10 16 0030	0.0044	
13 10 0044	0.0044	

K VALUE KNOWN TO BE
LESS THAN INDICATED

APPENDIX E

TRIBUTARY DATA

STREET RETRIEVAL DATE 7/5/10/20

3/15A1 LS3/15A1
 35 46 36.0 081 41 30.0
 CATAMBA RIVER
 3/119 HURKE CO HWY MAP
 1/PHUDMISS RESVR
 MC HWY 1A BRDG .25 MI N OF MORGANTON
 2111204
 11EPALES
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 002NO3 N-TOTAL MG/L	00625 TUT NJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-015 ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/24	11 25		0.180	0.910	0.038	0.017	0.045
73/04/26	14 15		0.198	1.050	0.070	0.025	0.075
73/05/24	18 25		0.170	0.340	0.017	0.025	0.082
73/06/28	18 00		0.168	0.350	0.037	0.028	0.030
73/07/22	14 45		0.176	0.240	0.016	0.015	0.035
73/08/30	14 45		0.132	0.100K	0.024	0.006	0.007
73/09/24	19 25		0.075	0.350	0.088	0.026	0.020
73/10/25	18 05		0.042	0.650	0.038	0.020	0.095
73/11/24	14 20		0.184	1.300	0.490	0.020	0.125
73/12/27	16 45		0.320	0.200	0.028	0.012	0.040
74/01/12	14 15		0.184	0.400	0.036	0.012	0.035
74/01/24	14 15		0.224	0.300	0.025	0.010	0.075
74/02/16	13 50		0.216	0.200	0.015	0.010	0.055
74/02/24	17 30		0.156				

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STORE INFORMATION DATE 7/3/1970

3/15/62 153/1562

35 46 30.0 0ml 26 00.0

CALADIA RIVER

37 HUNTER CO NEW MAP

0.000155 RESER

0.000155 RESER 0.2 ML E OF DAM

116425 211204

0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N-TOTAL N-TOTAL	00625 TOTAL N	00610 TOTAL N	00671 PHOS-015 0ml 10 M/L P	00665 PHOS-101 M/L P
73/03/24	11 00		0.200	0.300	0.050	0.015	0.060
73/04/26	17 00		0.150	0.400	0.067	0.024	0.065
73/05/24	17 20		0.040	1.200	0.150	0.014	0.050
73/06/24	17 30		0.174	1.040	0.160	0.010	0.040
73/07/22	14 35		0.110	0.460	0.130	0.0054	0.040
73/08/30	14 15		0.046	0.400	0.115	0.0054	0.045
73/09/24	20 00		0.044	0.550	0.044	0.004	
73/10/25	15 30		0.063	1.450	0.064	0.014	0.040
73/11/24	17 17		0.116	0.450	0.116	0.020	0.105
73/12/27	15 00		0.276	0.400	0.044	0.024	0.075
74/01/12	13 00		0.224	0.200	0.024	0.036	0.045
74/01/24	16 00		0.204	0.1006	0.024	0.020	0.045
74/02/14	14 00		0.232	0.400	0.040	0.025	0.045
74/02/24	14 00		0.166	0.400	0.050	0.020	0.110

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORCEL RE INTERVAL DATE 7/5/10/20

371501 L5371501
35 46 00.0 041 39 30.0
UNKNOWN CHIEF
37 BUNKER CO MAY MAP
1/PROBATIONESS RESERV
MO 0000.5 MI NINE OF MORGANTON
11EPALES 2111204
6000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	NOZNO3 Q-TOTAL MG/L	TOT KJFL Q MG/L	NOZNO3 TOTAL MG/L	PHOS-TOT ORTHO MG/L P	PHOS-TOT MG/L P
73/03/24	14 30		3.320	4.600	0.900	1.100	1.700
73/04/26	14 00		0.720	4.300	0.357	0.064	0.450
73/05/24	14 15		0.175	7.340	1.900	1.040	1.900
73/06/24	17 50		0.120	4.000	0.920	1.040	1.600
73/07/22	14 30		0.250	3.700	2.400	0.194	0.780
73/09/24	14 15		0.040	2.400	0.720	1.800	3.100
73/10/25	17 50		0.100	3.700	0.480	1.010	1.880
73/11/24	14 10		0.270	1.500	0.192	0.124	0.385
73/12/27	14 30		0.760	1.200	0.380	0.112	0.296
74/01/12	14 00		0.440	2.200	0.240	0.524	0.910
74/01/24	14 00		0.340	3.600	0.710	0.490	1.600
74/02/10	13 30		0.430	1.900	0.270	1.570	1.600
74/02/24	17 00		0.250				

301201 10511501

10.0 0.01 0.01 0.01 0.01

THE ADVANCE COMPANY

37 1.5 inch AEL

50100415

NEW YORK, N.Y. - All the UP UNKLE CITY LINDS

1111204

UUNUKI KEECH

[illegible]K VALUE KNOWN TO BE
LESS THAN INDICATED

STORE RETRIEVAL DATE 7/5/10/20

3/1501 L5371501
 35 46 00.0 041 34 00.0
 MCALLIARD CREEK
 37 7.5 DMEXEL
 T/ROODMISS MESVR
 NO BRUG .2 MI N OF NW VALDESE CITY LIMIT
 2111204
 11EPALES
 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2SNO3 N-TOTAL MG/L	00625 TOT N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/04	12	15	0.390	1.100	0.034	0.230	0.690
73/04/26	14	45	0.420	5.700	0.160		2.400
73/05/24	18	50	0.270	3.000	0.330	0.940	1.280
73/06/24	17	45	0.640	1.400	0.360	0.200	0.470
73/07/22	14	57	0.290	0.960	0.326	0.620	0.690
73/08/30	14	20	1.060	2.200	0.680	0.350	0.525
73/09/24	20	50	0.149		0.460	2.480	
73/10/25	16	30	0.154	2.100	0.096	3.900	4.100
73/11/29	17	55	0.160	1.600	0.100	2.500	2.700
73/12/21	15	30	0.890	0.200	0.080	0.232	0.300
74/01/12	13	25	0.368	0.300	0.044	0.490	0.550
74/01/24	15	20	0.312	6.400	0.040	1.250	1.500
74/02/16	14	41	0.400	0.600	0.060	0.145	0.520
74/02/24	14	30	0.320	1.000	0.055	1.400	1.400

3/15/1
35 45 30.0 01 33 00.0
MOLE CHECK
37 7.5 DOWELL
1/1000155 MEDIUM
10 HOOK 2 MINS OF ME VAL
11/16/15 2111
0000

NO	TO 8000.02 MI N OF NE VALDEZ CITY LIMIT	2111209	0000 FEET	DEPTH
116465				

40

DATE FROM TO	TIME OF DAY	UT-ET FIELD	00630 TOT N.O.B. + TOTAL	00625 TOT N.O.B. + TOTAL	00610 TOT N.O.B. + TOTAL	00671 PMOS-015 00140	00665 PMOS-101
			M/G/L	M/G/L	M/G/L	M/G/L	M/G/L
73/03/24	11 50		0.220	0.250	0.035	0.115	0.240
73/04/24	14 30		0.240	2.200	0.110		0.400
73/05/24	14 15		0.140	0.470	0.634	0.357	0.530
73/06/24	17 55		0.270	3.020	0.134	0.673	1.400
73/07/22	14 50		0.194	0.352	0.134	0.169	0.210
73/08/30	14 45		0.072	0.440	0.126	0.500	0.470
73/09/24	20 30		3.154	0.174	0.075	0.790	
73/10/23	14 10		0.124	1.450	0.028	0.700	0.470
73/11/24	17 16		0.144	0.400	0.054	0.360	0.420
73/12/21	15 15		0.220	0.500	0.176	0.364	0.170
74/01/12	13 10		0.270	0.700	0.654	0.430	0.540
74/01/24	15 15		0.300	0.400	0.156	0.250	0.540
74/02/14	14 20		3.360	0.400	0.156	0.070	0.540
74/02/24	17 45		0.240	0.400	0.035	0.400	0.720

STORET RETRIEVAL DATE 75/10/20

3715F1
35 4M 00.0 0M1 30 30.0
FREEMASON CREEK
37 7.5 DRESEL
1/RODMISS RESVR
RD 1115 HWY 4 MI W OF GRANITE FALLS
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME UP DAY	DEPTH FEET	00630 NO2+NO3 N-TOTAL MG/L	00625 TOTAL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/24	11 45		0.570	0.440	0.115	0.018	0.047
73/04/24	18 25		0.660		0.540	0.029	
73/05/24	18 14		0.378	0.840	0.080	0.039	0.130
73/06/24	18 21		0.470	3.300	0.240	0.024	
73/07/22	14 10		0.378	1.150	0.100	0.025	0.040
73/08/30	18 15		0.550	1.540	0.420	0.030	0.055
73/09/24			0.390		0.160	0.044	
73/10/25	18 00		0.320	0.850	0.037	0.012	0.035
73/11/24	18 10		0.368	2.100	0.116	0.028	
73/12/27	15 30		0.770	0.360	0.672	0.028	0.070
74/01/12	13 40		0.570	0.800	0.200	0.036	0.045
74/01/24	18 20		0.600	0.600	0.080	0.025	0.076
74/02/16			0.216	0.200	0.020	0.010	0.040
74/02/24	18 27		0.490	0.300	0.085	0.025	0.065

SLOPE RETRIEVAL DATE 7/5/15/20

3/15/01 L53/15/01
 35 47 30.0 081 33 00.0
 STAFFORD CREEK
 37 7.5 DREXEL
 1/4000 MISS RESUR
 NO 1140 0806 1 MI SE LOVELANDY CHURCH
 11EPALES 2111204
 4 0000 FEET DEPTH

DATE FROM TO	TIME DAY	DEPTH FEET	00630 4-TOTAL Mg/L	00625 TOTAL Mg/L	00610 NH ₄ -N TOTAL Mg/L	00671 PHOS-015 08THO Mg/L P	00665 PHOS-TOT Mg/L P
73/03/24	11 20		0.160	1.440	0.066	0.014	0.015
73/04/24	14 05		0.335		0.210	0.008	
73/05/24	14 21		0.105	1.320	0.046	0.008	0.020
73/06/24	14 13		0.320	4.000	0.252	0.036	
73/07/22	14 20		0.176	2.100	0.105	0.012	0.015
73/08/30	14 30		0.147	0.240	0.052	0.008	0.020
73/09/24	14 10		0.120		0.037	0.006	
73/10/25	14 10		0.105	0.700	0.029	0.029	0.140
73/11/24	14 00		0.132	0.700	0.044	0.012	
73/12/21	15 00		0.224	0.300	0.032	0.005	0.005
74/01/12	13 30		0.142	0.450	0.032	0.008	0.015
74/01/24	14 10		0.144	0.100	0.016	0.016	0.020
74/02/16	15 40		0.504	1.400	0.330	0.055	0.270
74/02/24	14 20		0.135	0.100	0.030	0.005	0.025

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STORET RETRIEVAL DATE 7/5/10/20

3715M1
35 48 00.0 0M1 36 30.0
SMOKEY CREEK
37 7.5 DHEKEL
1/HOUMISS RESVM
RD 1515 BRUGS .4 MI E JCT WITH RD 1513
11EPALES 2111204
0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2AND3 N-TOTAL MG/L	00625 TOT KjFL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/24	11 00		0.166	0.310	0.046	0.005K	0.015
73/04/24	17 50		0.210		0.068	0.010	
73/05/24	18 27		0.084	1.150	0.115	0.013	0.025
73/06/24	18 00		0.170	1.500	0.290	0.025	
73/07/22	13 49		0.154	0.690	0.200	0.009	0.020
73/08/30	18 40		0.120	0.610	0.035	0.006	0.015
73/09/28			0.100		0.032	0.005K	
73/10/25	18 20		0.077	0.200	0.011	0.023	
73/11/29	17 47		0.155	0.300	0.028	0.012	
73/12/27	14 30		0.250	0.200	0.048	0.012	0.015
74/01/12	13 16		0.192	0.406	0.040	0.008	0.020
74/01/24	18 00		0.192	0.106K	0.012	0.012	0.015
74/02/16	13 25		0.200	0.200	0.020	0.010	0.045
74/02/24	14 10		0.176	0.300	0.025	0.015	0.030

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORE RETRIEVAL DATE 10/19/20

371501 03371501
 35 49 00.0 001 39 30.0
 WESTFOL CREEK
 37 TUNNE CO MAY MAP
 1/1000155 WESUM
 MC MAY 14 1900 0.3 MI NE OF CHESTERFIELD
 LITFALES 2111204
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 0028003 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS UNIT40 MG/L P	00665 PHOS-TOT MG/L P
73/03/24	12 25		0.112	0.140	0.040	0.007	0.015
73/04/26	14 45		0.231	1.750	0.120	0.011	
73/05/24	18 55		0.074	0.400	0.025	0.012	0.021
73/06/24	14 30		0.130	1.100	0.077	0.025	
73/07/22	15 10		0.105	0.690	0.033	0.065	0.025
73/08/30	14 15		0.110	0.220	0.035	0.003K	0.020
73/09/24	14 40		0.078	0.093	0.010	0.005	
73/10/25	14 40		0.069	0.200	0.021	0.021	0.140
73/11/24	14 00		0.120	0.100K	0.036	0.005K	0.035
73/12/21	04 15		0.142	0.400	0.028	0.008	0.045
74/01/12	15 00		0.150	0.200	0.020	0.008	0.025
74/01/24	14 45		0.144	0.400	0.044	0.008	0.015
74/02/16	14 30		0.156	0.200	0.020	0.005	0.020
74/02/24	14 25		0.124	0.100	0.015	0.010	0.040

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STONET RETRIEVAL DATE 7/5/10/20

3715K1 LS3715K1
35 47 30.0 0H1 40 30.0
JOHNS RIVER
37 BURKE CO HWY MAP
T/PHOU155 RESVR
NC HWY 1H BRUG .7 MI SW OF CHESTERFIELD
116PALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2N03 N-TOTAL MG/L	00625 TUT KJEL N MG/L	00610 NH4-N TOTAL MG/L	00671 PHOS-015 ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/24	12 05		0.231	0.205	0.020	0.005K	0.020
73/04/26	18 30		0.091	0.370	0.046	0.010	0.080
73/05/24	18 35		0.034	0.930	0.030	0.010	0.020
73/06/24	14 10		0.147	0.450	0.066	0.014	0.100
73/07/22	15 00		0.074	0.240	0.035	0.007	0.035
73/08/30	14 55		0.035	0.880	0.025	0.005K	0.015
73/09/24	19 35		0.069		0.072	0.008	
73/10/25	18 15		0.025	0.200	0.010	0.019	0.030
73/11/24	18 50		0.112	1.650	0.064	0.012	0.090
73/12/27	17 00		0.290	0.400	0.024	0.012	0.015
74/01/12	14 35		0.184	0.300	0.012	0.006	0.008
74/01/24	18 30		0.164	0.800	0.084	0.008	0.008
74/02/16	14 10		0.164	0.100	0.020	0.005	0.020
74/02/24	18 05		0.144	0.100	0.015	0.005	0.025

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/10/20

3715M1
35 49 30.0 081 38 10.0
LOWER CREEK
37 BURKE CO HWY MAP
T/LK RHODMISS
ST RD 1501 S MI NE OF LENOIR
11EPALES 2111204
4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NU2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/24	10 30		0.350	0.690	0.160	0.020	0.135
73/04/26	17 30		0.360	1.600	0.271	0.011	0.320
73/05/24	14 40		0.270	2.900	0.240	0.075	0.250
73/06/24	17 45		0.430	2.400	0.375	0.032	0.390
73/07/22	13 38		0.470	1.150	0.260	0.084	0.210
73/08/30	14 50		0.500	1.200	0.231	0.138	0.270
73/09/28			0.450		0.170	0.135	
73/10/25	14 32		0.460	3.600	0.320	0.168	0.480
73/11/24	17 40		0.380	0.800	0.140	0.068	0.375
73/12/27	14 00		0.450	0.300	0.064	0.024	0.115
74/01/18	13 05		0.420	0.500	0.104	0.044	0.165
74/01/24	17 50		0.410	0.600	0.105	0.046	0.170
74/02/18	13 10		0.410	1.700	0.130	0.045	0.230
74/02/24	17 55		0.400	0.400	0.160	0.065	0.315

SHEET RELIEF DATE 7/10/20

3715L1 533715L1
 35 45 30.0 0M1 34 00.0
 2 FURN MCGALLAHU CREEK
 37 7.5 DREXEL
 1/4MUMISS MESVH
 NO DRUG .2 MI N OF NW VALDESE CITY LIMIT
 112PALES 2111204
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT N-JEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/24	12 00		0.170	0.260	0.050	0.005K	0.005K
73/04/26	14 20		0.300	3.150	0.132	0.016	
73/05/24	14 00		0.115	0.960	0.039	0.008	0.015
73/06/24	14 05		0.220	1.300	0.063	0.105	0.040
73/07/22	14 55		0.176	0.600	0.048	0.005K	0.065
73/08/30	14 10		0.376	2.740	0.138		
73/09/24	20 40		0.140		0.060	0.005K	
73/10/25	16 25		0.120	0.500	0.032	0.017	0.165
73/11/24	17 50		0.104	0.200	0.024	0.005K	
73/12/27	15 20		0.232	0.100K	0.016	0.005K	0.005K
74/01/12	14 15		0.168	0.300	0.016	0.005K	0.020
74/01/24	15 10		0.200	0.120K	0.016	0.005K	0.005K
74/02/16	14 40		0.260	0.200	0.025	0.005	0.040
74/02/24	15 50		0.260	0.100K	0.015	0.005K	0.020

K VALUE KNOWN TO BE
 LESS THAN INDICATED